File E103300 Project 86RT01871

Issued: 1986-08-11 Revised: 2004-03-26

REPORT

ON

COMPONENT - MISCELLANEOUS, MOTOR CONTROLLERS

COMUS INTERNATIONAL N V 3700 TONGEREN, BELGIUM

Copyright © 1986 Underwriters Laboratories Inc.

Underwriters Laboratories Inc. authorizes the above named company to reproduce this Report provided it is reproduced in its entirety.

Underwriters Laboratories Inc. authorizes the above named company to reproduce that portion of this Report consisting of this Cover Page through Page 3.

Any information and documentation provided to you involving UL Mark services are provided on behalf of Underwriters Laboratories Inc.

Vol. 1 Sec. 1 Page 1 File E103300 Issued: 1986-08-11 Revised: 2004-01-16 and Report

DESCRIPTION

PRODUCT COVERED:

USR, CNR - Component, Motor Controllers, Models WG, followed by 120, 240, 280 or 480, followed by A, C, D, E or R, followed by 10, 25, 40 $\,$ or 45, followed by R or Z, may be followed by -1 through -999.

GENERAL:

These devices are solid state relays, intended to be used in industrial applications where the suitability of the combination has been determined by Underwriters Laboratories Inc.

RATINGS:

Suffix A - 90 to 480 V ac input Input:

Suffix C - 3.8 to 8.0 V dc resistive input Suffix D - 3 to 32 V dc resistive input Suffix E - 24 V ac input Suffix R - 3 to 32 V dc regulated input

Output: Suffix 10 - 10 A, general purpose (voltage 0 - 480 Vac)

Suffix 25 - 25 A, general purpose (voltage 0 - 480 Vac) Suffix 40 - 40 A, general purpose (voltage 0 - 480 Vac) Suffix 45 - 45 A, general purpose (voltage 0 - 480 Vac)

The horsepower ratings of these devices are tabulated below according to the general purpose of the device.

General Purpose	Hp Rating	
Rating	120 V rms	240 V rms
10 A, 120 V 10 A, 240 V, 280 V or 480 V	1/4 1/4	- 1/3
25 A, 120 V 25 A, 240 V, 280 V or 480 V	1/2 1/2	3/4
45 A, 120 V 45 A, 240 V, 280 V or 480 V	3/4 3/4	- 1-1/2

File E103300 Vol. 1 Sec. 1 Page 2 Issued: 1986-08-11 and Report Revised: 2004-01-16

NOMENCLATURE BREAKDOWN:

123 240

Designates basic

series designation: WG

II - Designates line 120 - 120 V ac, 250 blocking volt, 47/63 Hz

240 - 240 V ac, 500 blocking volt, 47/63 Hz voltage rating:

280 - 240 V ac, (H.P.), 280 V ac (General

Purpose), 600 blocking volt, 47/63 Hz.

480 - 480 V ac, 800 blocking volt, 47/63 Hz

III - Designates control A - 90 to 480 V ac input

C - 3.8 to 8.0 V dc resistive input input voltage rating:

D - 3 to 32 V dc resistive input

E - 24 V ac input R - 3 to 32 V dc regulated input

IV - Designates load 10 - 10 A current rating: 25 - 25 A

40 - 40 A

45 - 45 A

Z - Zero voltage switching
R - Random switching Switching

VI - Manufacturer's

-1 through -999 identification:

ENGINEERING CONSIDERATIONS (NOT FOR FIELD REPRESENTATIVE'S USE):

CNR - Indicates investigation to Canadian National Standards C22.2 No. 14 - 95.

USR - Indicates investigation to U.S. National Standard UL 508.

Note:

CNR = Canadian National Standards - Recognized.

USR = United States Standards - Recognized.

Use - For use only in products where the acceptability of the combination is determined by Underwriters Laboratories Inc.

File E103300 Vol. 1 Sec. 1 Page 3 Issued: 1986-08-11 and Report Revised: 2004-01-16

CONDITIONS OF ACCEPTABILITY:

 These devices should be used within their Recognized ratings as specified above.

- 2. The devices should be mounted in an enclosure having adequate strength and thickness in the intended manner and with acceptable spacings being provided.
- 3. When open type devices are mounted in enclosures, the test record should be reviewed to determine if tests need to be repeated, giving particular attention to heating test. The maximum thyristor junction temperatures for the substrate-type inverse/parallel SCR output devices should not exceed the chip manufacturer's specification which is recorded for each device Listed in this Report. The device was tested on an aluminum heat sink, thickness 3.2 mm, 305 mm by 305 mm overall. If a different heat sink is used in the end application, consideration should be given to repeating the heating test.

Following min. values should be required as min. value for the rated currents at an ambient temperature of max. 40°C :

```
Part no. WG xxx x x 10 x - 3.1 K/W Part no. WG xxx x x 25 x - 1.1 K/W Part no. WG xxx x x 40 x - 0.80 K/W Part no. WG xxx x x 45 x - 0.75 K/W
```

- \times denotes model differences not affecting the electrical ratings.
- 4. The terminals are to be factory wired only and the suitability of the connection (including spacings between factory connectors) shall be determined.
- 5. The output wave-form of this device may not be sinusodial under certain inductive loading conditions and the effect of this output wave on the intended equipment must be determined in the end use application.
- 6. The input voltage ratings are considered to be absolute minimum and maximum values.
- Devices rated in horsepower have not been subjected to Short-Circuit Tests.